ELSEVIER

Journal of Organometallic Chemistry 623 (2001) 202

Journal of Organometallic Chemistry

www.elsevier.nl/locate/jorganchem

Author Index of Volume 623

Ahlgren, M., 168
Almagro, X., 137
Amoedo, A., 176
Atwood, D.A., 1, 185

Bailey, J.R., 185
Barrientos-Astigarraga, R.E., 43
Bhattacharyya, P., 116
Braga, A.L., 131
Burgess, M.R., 101
Butcher, R.J., 87

Carlsson, H., 191
Castelani, P., 43
Castillo, S.J., 81
Cea-Olivares, R., 74
Clegg, W., 137
Comasseto, J.V., 43
Cucurull-Sánchez, L., 137

da Silva, N.C., 43
Devillanova, F.A., 14
Dey, S., 48
Drake, J.E., 153
du Mont, W.-W., 14

Fernández, A., 176
Formiga, H.B., 43

García-Montalvo, V., 74
González-Duarte, P., 137
Graña, M., 176

Haas, A., 3
Haiduc, I., 29
Hatfield, M.J., 185
Haukka, M., 65
Henke, K.R., 185
Herberhold, M., 149
Hernández-Ortega, S., 74
Hu, Q.-M., 56
Hursthouse, M.B., 153
Husebye, S., 124

Jain, V.K., 48

Kelly, P.F., 120
King, R.B., 95
Kiriakidou-Kazemifar, N.K., 65, 191
Krepps, M.K., 185
Kretzschmar, E., 191
Kuhn, N., 14
Kulcsar, M., 153

Laitinen, R.S., 1, 168
Light, M.E., 153
Lippolis, V., 14
López-Torres, M., 176
Lu, G.-L., 56

Marcelo-Polo, A., 74
Martens-von Salzen, A., 14
Martínez, J., 176
Menon, S.C., 87
Milius, W., 149
Monari, M., 191
Montoya, R., 74
Morley, C.P., 101
Morris, J.L., 185
Mugesh, G., 14

Necas, M., 124
Nordlander, E., 65, 191
Novosad, J., 124
Nunes, M.R.S., 131

Oilunkaniemi, R., 168
Otieno, T., 185

Pakkanen, T.A., 65
Panda, A., 87
Parker, K.G., 120
Pereira, T., 176

Rickard, C.E.F., 109
Rodiel, M.A., 120
Roper, W.R., 109
Ruthe, F., 14

Schuermann, M., 161
Selva, S., 191
Seppälä, E., 14
Silveira, C.C., 131
Silvestru, A., 153
Silvestru, C., 161
Simonetti, K.D., 185
Singh, H.B., 87
Slawin, A.M.Z., 116, 120
Song, L.-C., 56
Sotelo-Lerma, M., 81
Sumida, C.Y., 43
Sun, J., 56

Toscano, R.A., 74
Traveria, M., 137
Tunik, S.P., 65

Varga, R.A., 161
Varghese, B., 48
Vieira, M.L., 43
Vila, J.M., 176

Wall, E.A., 185
Wendling, E., 131
Woodgate, S.D., 109
Woollins, J.D., 116
Wrackmeyer, B., 149
Wright, L.J., 109

Yang, J., 56
Yan, H., 149

Zingaro, R.A., 81

PII: S0022-328X(01)00722-7

ELSEVIER

Journal of Organometallic Chemistry 623 (2001) 203–206

Journal of Organometallic Chemistry

www.elsevier.nl/locate/jorganchem

Subject Index of Volume 623

Alkynes
The reaction of ethynylferrocene with Cp*Rh half-sandwich complexes containing a chelating 1,2-dicarba-*closo*-dodecaborane(12)-1,2-dichalcogenolato ligand, Cp*Rh[E_2C_2-($B_{10}H_{10}$)], E = S, Se, 149
Aminothiolate ligands
Schiff bases derived from mercury(II)–aminothiolate complexes as metalloligands for transition metals, 137
Aromatic diselenides
The oxidative addition of diphenyl diselenide and ditelluride to tetrakis(triphenylphosphine)palladium, 168
Aromatic ditellurides
The oxidative addition of diphenyl diselenide and ditelluride to tetrakis(triphenylphosphine)palladium, 168

Benzylselenolate
Synthesis and characterization of benzylselenolate complexes of palladium(II) and platinum(II), 48
B–H Activation
The reaction of ethynylferrocene with Cp*Rh half-sandwich complexes containing a chelating 1,2-dicarba-*closo*-dodecaborane(12)-1,2-dichalcogenolato ligand, Cp*Rh[E_2C_2-($B_{10}H_{10}$)], E = S, Se, 149
Binuclear compounds
Synthesis and characterization of benzylselenolate complexes of palladium(II) and platinum(II), 48

Cadmium sulfide
Transition metal complexes of 2,4,6-trimercapto-1,3,5-triazine (TMT): potential precursors to nanoparticulate metal sulfides, 185
Cadmium telluride
Preparation of CdTe coatings using the chemical deposition method, 81
Carborane
The reaction of ethynylferrocene with Cp*Rh half-sandwich complexes containing a chelating 1,2-dicarba-*closo*-dodecaborane(12)-1,2-dichalcogenolato ligand, Cp*Rh[E_2C_2-($B_{10}H_{10}$)], E = S, Se, 149
Carboxylic esters
Synthesis of α-phenylseleno-α,β-unsaturated esters by Wittig-type reactions. Studies on the Diels–Alder reaction, 131
Catalysis
The reaction of ethynylferrocene with Cp*Rh half-sandwich complexes containing a chelating 1,2-dicarba-*closo*-dodecaborane(12)-1,2-dichalcogenolato ligand, Cp*Rh[E_2C_2-($B_{10}H_{10}$)], E = S, Se, 149
Chalcogen
Hypervalent organotin(IV) derivatives containing [2-(Me_2NCH_2)-C_6H_4]Sn moieties. Competition between nitrogen and chalcogen atoms for coordination to the metal centre, 161
Cluster
Formation of rhodium carbonyl thiolate dimers via elimination of dihydrogen; crystal and molecular structure of [$Rh_2(CO)_4(\mu$-$SC_6H_4CH_3)_2$], 65
Synthesis and characterization of new thioether derivatives of [$Os_3(CO)_{12}$] and [$H_2Os_3(CO)_{10}$]; crystal and molecular structures of [$Os_3(CO)_{11}$(L)] [Et_2S, Pr_2S, $S(CH_2)_5$] and [$Os_3(CO)_9(\mu$-H)(μ-X){SMe(Bu^t)}] (X = H, OH), 191
CO-bridged anions
Synthesis of double and multiple butterfly Fe/E (E = S, Se, Te) cluster complexes via reactions of complex anions [(μ-RE)(μ-CO)$Fe_2(CO)_6$]$^-$ (E = S, Se, Te). Crystal structures of (μ-*p*-MeC_6H_4Se)(μ-MeS)[$Fe_2(CO)_6$]$_2$(μ_4-S) and {(μ-*t*-BuS)[$Fe_2(CO)_6$]$_2$(μ_4-S)}$_2$[(μ-*p*-$SCH_2)_2C_6H_4$], 56
Complexes
A comparison of the coordination chemistry of Ph_2SNH and $Ph_2SNCH_2CH_2CN$; the preparation and X-ray crystal structures of [PPh_4][$PdBr_3(Ph_2SNCH_2CH_2CN)$] and *trans*-[$PdBr_2(Ph_2SNCH_2CH_2CN)_2$], the first fully characterised complexes of a N-substituted sulfimide, 120
Conversions
The general course of reactions and structural correlations in S–N chemistry discussed in terms of a carbon and sulfur(IV) equivalence, 3
Coupling reactions
Carbon–carbon bond formation by means of organotellurium compounds, 43
Cryptands
Synthesis of some macrocycles/bicycles from bis(*o*-formylphenyl) selenide: X-ray crystal structure of bis(*o*-formylphenyl) selenide and the first 28-membered selenium containing macrocyclic ligand, 87
Crystal and molecular structures
The key role of sulfur in thiosemicarbazone compounds. Crystal and molecular structure of [Pd{4-$MeOC_6H_4C$(Me)=NN=C(S)NHPh}$_2$], 176
Crystal structure
Synthesis and characterization of new thioether derivatives of [$Os_3(CO)_{12}$] and [$H_2Os_3(CO)_{10}$]; crystal and molecular structures of [$Os_3(CO)_{11}$(L)] [Et_2S, Pr_2S, $S(CH_2)_5$] and [$Os_3(CO)_9(\mu$-H)(μ-X){SMe(Bu^t)}] (X = H, OH), 191
Crystal structures
Tellurium complexes with new, large-bite dithio ligands. The crystal structures of *cis*- and *trans*- [Te{Ph_2P(S)–N–P(S)$(OPh)_2$}$_2$] and [(4-$MeOC_6H_4TeCl_3)_2$\{μ-^{i}Pr_2P(S)–Fc–P(S)^iPr_2}], 124

Detected and assumed intermediates
The general course of reactions and structural correlations in S–N chemistry discussed in terms of a carbon and sulfur(IV) equivalence, 3
Dichalcogenoimidodiphosphinates
Thiophosphorus and related ligands in coordination, organometallic and supramolecular chemistry. A personal account, 29

PII: S0022-328X(01)00723-9

Diels–Alder reactions
Synthesis of α-phenylseleno-α,β-unsaturated esters by Wittig-type reactions. Studies on the Diels–Alder reaction, 131
Dithioarsinates
Thiophosphorus and related ligands in coordination, organometallic and supramolecular chemistry. A personal account, 29
Dithiocarbamates
Synthesis, spectroscopic characterization and structural studies of dialkyl dithiophosphinate and *N,N*-dialkyl dithio- and monothio-carbamate derivatives of 1-iodo-1,1,2,3,4,5-hexahydrotellurophene, 74
Dithiophosphates
Thiophosphorus and related ligands in coordination, organometallic and supramolecular chemistry. A personal account, 29
Dithiophosphinates
Synthesis, spectroscopic characterization and structural studies of dialkyl dithiophosphinate and *N,N*-dialkyl dithio- and monothio-carbamate derivatives of 1-iodo-1,1,2,3,4,5-hexahydrotellurophene, 74
Thiophosphorus and related ligands in coordination, organometallic and supramolecular chemistry. A personal account, 29

Early transition metals
Chemical applications of topology and group theory: Part 35. Non-octahedral six-coordinate tris(dithiolene) and related complexes of the early transition metals, 95

Ferrocene
Electrochemical and NMR spectroscopic studies of selenium- and tellurium-substituted ferrocenes I: ferrocenyl alkyl chalcogenides [Fe(η-C_5H_5)(η-C_5H_4ER)], 101
The reaction of ethynylferrocene with Cp*Rh half-sandwich complexes containing a chelating 1,2-dicarba-*closo*-dodecaborane(12)-1,2-dichalcogenolato ligand, Cp*Rh[$E_2C_2(B_{10}H_{10})$], E = S, Se, 149

Halogenations
The general course of reactions and structural correlations in S–N chemistry discussed in terms of a carbon and sulfur(IV) equivalence, 3
Heterocycles
Bridge cleavage of [{PhP(Se)(μ-Se)}$_2$] by 1,2-C_6H_4(EH)(E′H) (E, E′ = O or NH). X-ray crystal structure of PhP(Se)(NHC_6H_4NH-1,2), 116
Hydride complex
Reaction between the thiocarbonyl complex, Os(CS)(CO)(PPh_3)$_3$, and propyne: crystal structure of a new sulfur-substituted osmabenzene, 109
Hydrodesulfurization
Formation of rhodium carbonyl thiolate dimers via elimination of dihydrogen; crystal and molecular structure of [$Rh_2(CO)_4$(μ-$SC_6H_4CH_3$)$_2$], 65
Synthesis and characterization of new thioether derivatives of [$Os_3(CO)_{12}$] and [$H_2Os_3(CO)_{10}$]; crystal and molecular structures of [$Os_3(CO)_{11}$(L)] [Et_2S, Pr_2S, $S(CH_2)_5$] and [$Os_3(CO)_9$(μ-H)(μ-X){SMe(Bu′)}] (X = H, OH), 191
Hypervalency
Tuning selenium–iodine contacts: from secondary soft–soft interactions to covalent bonds, 14
Hypervalent organotin(IV) derivatives
Hypervalent organotin(IV) derivatives containing [2-(Me_2NCH_2)-C_6H_4]Sn moieties. Competition between nitrogen and chalcogen atoms for coordination to the metal centre, 161

Iodine
Tuning selenium–iodine contacts: from secondary soft–soft interactions to covalent bonds, 14
Ion exchange
Preparation of CdTe coatings using the chemical deposition method, 81
Iron
Synthesis of double and multiple butterfly Fe/E (E = S, Se, Te) cluster complexes via reactions of complex anions [(μ-RE)(μ-CO)$Fe_2(CO)_6$]$^-$ (E = S, Se, Te). Crystal structures of (μ-*p*-MeC_6H_4Se)(μ-MeS)[$Fe_2(CO)_6$]$_2$(μ$_4$-S) and {(μ-*t*-BuS)[$Fe_2(CO)_6$]$_2$(μ$_4$-S)}$_2$[(μ-*p*-$SCH_2)_2C_6H_4$], 56

Macrocycle
Synthesis of some macrocycles/bicycles from bis(*o*-formylphenyl) selenide: X-ray crystal structure of bis(*o*-formylphenyl) selenide and the first 28-membered selenium containing macrocyclic ligand, 87
Mechanism
Formation of rhodium carbonyl thiolate dimers via elimination of dihydrogen; crystal and molecular structure of [$Rh_2(CO)_4$(μ-$SC_6H_4CH_3$)$_2$], 65
Mercury complexes
Schiff bases derived from mercury(II)–aminothiolate complexes as metalloligands for transition metals, 137
Metal centre
Hypervalent organotin(IV) derivatives containing [2-(Me_2NCH_2)C_6H_4]Sn moieties. Competition between nitrogen and chalcogen atoms for coordination to the metal centre, 161
Microwave heating
Synthesis of α-phenylseleno-α,β-unsaturated esters by Wittig-type reactions. Studies on the Diels–Alder reaction, 131
Monothiocarbamates
Synthesis, spectroscopic characterization and structural studies of dialkyl dithiophosphinate and *N,N*-dialkyl dithio- and monothio-carbamate derivatives of 1-iodo-1,1,2,3,4,5-hexahydrotellurophene, 74

Nanoparticulate metal sulfides
Transition metal complexes of 2,4,6-trimercapto-1,3,5-triazine (TMT): potential precursors to nanoparticulate metal sulfides, 185
New dithio ligands
Tellurium complexes with new, large-bite dithio ligands. The crystal structures of *cis*- and *trans*- [Te{Ph_2P(S)–N–P(S)(OPh)$_2$}$_2$] and [(4-$MeOC_6H_4TeCl_3$)$_2$(μ-^{i}Pr_2P(S)–Fc–P(S)^iPr_2}], 124
Nitriles
A comparison of the coordination chemistry of Ph_2SNH and $Ph_2SNCH_2CH_2CN$; the preparation and X-ray crystal structures of [PPh_4][$PdBr_3$($Ph_2SNCH_2CH_2CN$)] and *trans*-[$PdBr_2$($Ph_2SNCH_2CH_2CN$)$_2$], the first fully characterised complexes of a N-substituted sulfimide, 120
Nitrogen
Hypervalent organotin(IV) derivatives containing [2-(Me_2NCH_2)-C_6H_4]Sn moieties. Competition between nitrogen and chalcogen atoms for coordination to the metal centre, 161
NMR
Synthesis and characterization of benzylselenolate complexes of palladium(II) and platinum(II), 48
NMR spectroscopy
Electrochemical and NMR spectroscopic studies of selenium- and tellurium-substituted ferrocenes I: ferrocenyl alkyl chalcogenides [Fe(η-C_5H_5)(η-C_5H_4ER)], 101
Schiff bases derived from mercury(II)–aminothiolate complexes as metalloligands for transition metals, 137

The oxidative addition of diphenyl diselenide and ditelluride to tetrakis(triphenylphosphine)palladium, 168
Non-octahedral six-coordinate tris(dithiolene)
Chemical applications of topology and group theory: Part 35. Non-octahedral six-coordinate tris(dithiolene) and related complexes of the early transition metals, 95

Organotellurium compounds
Carbon–carbon bond formation by means of organotellurium compounds, 43
Osmabenzene
Reaction between the thiocarbonyl complex, $Os(CS)(CO)(PPh_3)_3$, and propyne: crystal structure of a new sulfur-substituted osmabenzene, 109
Osmium
Reaction between the thiocarbonyl complex, $Os(CS)(CO)(PPh_3)_3$, and propyne: crystal structure of a new sulfur-substituted osmabenzene, 109
Synthesis and characterization of new thioether derivatives of $[Os_3(CO)_{12}]$ and $[H_2Os_3(CO)_{10}]$; crystal and molecular structures of $[Os_3(CO)_{11}(L)]$ [Et_2S, Pr_2S, $S(CH_2)_5$] and $[Os_3(CO)_9(\mu\text{-}H)(\mu\text{-}X)\{SMe(Bu^t)\}]$ (X = H, OH), 191

Palladium
A comparison of the coordination chemistry of Ph_2SNH and $Ph_2SNCH_2CH_2CN$; the preparation and X-ray crystal structures of $[PPh_4][PdBr_3(Ph_2SNCH_2CH_2CN)]$ and *trans*-$[PdBr_2(Ph_2SNCH_2CH_2CN)_2]$, the first fully characterised complexes of a N-substituted sulfimide, 120
Synthesis and characterization of benzylselenolate complexes of palladium(II) and platinum(II), 48
Palladium complexes
The oxidative addition of diphenyl diselenide and ditelluride to tetrakis(triphenylphosphine)palladium, 168
Phosphorus
Bridge cleavage of $[\{PhP(Se)(\mu\text{-}Se)\}_2]$ by 1,2-$C_6H_4(EH)(E'H)$ (E, E′ = O or NH). X-ray crystal structure of Ph-P(Se)(NHC_6H_4NH-1,2), 116
Platinum
Synthesis and characterization of benzylselenolate complexes of palladium(II) and platinum(II), 48
Polyamine
Synthesis of some macrocycles/bicycles from bis(*o*-formylphenyl) selenide: X-ray crystal structure of bis(*o*-formylphenyl) selenide and the first 28-membered selenium containing macrocyclic ligand, 87
Propynyl complex
Reaction between the thiocarbonyl complex, $Os(CS)(CO)(PPh_3)_3$, and propyne: crystal structure of a new sulfur-substituted osmabenzene, 109

Reaction schemes
The general course of reactions and structural correlations in S–N chemistry discussed in terms of a carbon and sulfur(IV) equivalence, 3
Rhodium
Formation of rhodium carbonyl thiolate dimers via elimination of dihydrogen; crystal and molecular structure of $[Rh_2(CO)_4(\mu\text{-}SC_6H_4CH_3)_2]$, 65
The reaction of ethynylferrocene with Cp*Rh half-sandwich complexes containing a chelating 1,2-dicarba-*closo*-dodecaborane(12)-1,2-dichalcogenolato ligand, Cp*Rh[E_2C_2-$(B_{10}H_{10})$], E = S, Se, 149
Rongalite
Preparation of CdTe coatings using the chemical deposition method, 81

Schiff base
Schiff bases derived from mercury(II)–aminothiolate complexes as metalloligands for transition metals, 137
S_2Cl_2-reaction
The general course of reactions and structural correlations in S–N chemistry discussed in terms of a carbon and sulfur(IV) equivalence, 3
Selenaazamacrocycle
Synthesis of some macrocycles/bicycles from bis(*o*-formylphenyl) selenide: X-ray crystal structure of bis(*o*-formylphenyl) selenide and the first 28-membered selenium containing macrocyclic ligand, 87
Selenide
Synthesis of some macrocycles/bicycles from bis(*o*-formylphenyl) selenide: X-ray crystal structure of bis(*o*-formylphenyl) selenide and the first 28-membered selenium containing macrocyclic ligand, 87
Selenium
Bridge cleavage of $[\{PhP(Se)(\mu\text{-}Se)\}_2]$ by 1,2-$C_6H_4(EH)(E'H)$ (E, E′ = O or NH). X-ray crystal structure of Ph-P(Se)(NHC_6H_4NH-1,2), 116
Electrochemical and NMR spectroscopic studies of selenium- and tellurium-substituted ferrocenes I: ferrocenyl alkyl chalcogenides $[Fe(\eta\text{-}C_5H_5)(\eta\text{-}C_5H_4ER)]$, 101
Synthesis of double and multiple butterfly Fe/E (E = S, Se, Te) cluster complexes via reactions of complex anions $[(\mu\text{-}RE)(\mu\text{-}CO)Fe_2(CO)_6]^-$ (E = S, Se, Te). Crystal structures of $(\mu\text{-}p\text{-}MeC_6H_4Se)(\mu\text{-}MeS)[Fe_2(CO)_6]_2(\mu_4\text{-}S)$ and $\{(\mu\text{-}t\text{-}BuS)[Fe_2(CO)_6]_2(\mu_4\text{-}S)\}_2[(\mu\text{-}p\text{-}SCH_2)_2C_6H_4]$, 56
The reaction of ethynylferrocene with Cp*Rh half-sandwich complexes containing a chelating 1,2-dicarba-*closo*-dodecaborane(12)-1,2-dichalcogenolato ligand, Cp*Rh[E_2C_2-$(B_{10}H_{10})$], E = S, Se, 149
Tuning selenium–iodine contacts: from secondary soft–soft interactions to covalent bonds, 14
Selenium and compounds
Synthesis of α-phenylseleno-α,β-unsaturated esters by Wittig-type reactions. Studies on the Diels–Alder reaction, 131
Self-assembly
Thiophosphorus and related ligands in coordination, organometallic and supramolecular chemistry. A personal account, 29
Semiconductors
Preparation of CdTe coatings using the chemical deposition method, 81
S_4N_4-synthesis
The general course of reactions and structural correlations in S–N chemistry discussed in terms of a carbon and sulfur(IV) equivalence, 3
Soft–soft interactions
Tuning selenium–iodine contacts: from secondary soft–soft interactions to covalent bonds, 14
Structure
Synthesis, spectroscopic characterization and structural studies of dialkyl dithiophosphinate and *N*,*N*-dialkyl dithio- and monothio-carbamate derivatives of 1-iodo-1,1,2,3,4,5-hexahydrotellurophene, 74
Sulfimides
A comparison of the coordination chemistry of Ph_2SNH and $Ph_2SNCH_2CH_2CN$; the preparation and X-ray crystal structures of $[PPh_4][PdBr_3(Ph_2SNCH_2CH_2CN)]$ and *trans*-$[PdBr_2(Ph_2SNCH_2CH_2CN)_2]$, the first fully characterised complexes of a N-substituted sulfimide, 120
Sulfur
Synthesis of double and multiple butterfly Fe/E (E = S, Se, Te) cluster complexes via reactions of complex anions $[(\mu\text{-}RE)(\mu\text{-}CO)Fe_2(CO)_6]^-$ (E = S, Se, Te). Crystal structures of $(\mu\text{-}p\text{-}MeC_6H_4Se)(\mu\text{-}MeS)[Fe_2(CO)_6]_2(\mu_4\text{-}S)$ and $\{(\mu\text{-}t\text{-}BuS)[Fe_2(CO)_6]_2(\mu_4\text{-}S)\}_2[(\mu\text{-}p\text{-}SCH_2)_2C_6H_4]$, 56

The key role of sulfur in thiosemicarbazone compounds. Crystal and molecular structure of [Pd{4-MeOC$_6$H$_4$C(Me)=NN=C(S)NHPh}$_2$], 176
The reaction of ethynylferrocene with Cp*Rh half-sandwich complexes containing a chelating 1,2-dicarba-*closo*-dodecaborane(12)-1,2-dichalcogenolato ligand, Cp*Rh[E$_2$C$_2$(B$_{10}$H$_{10}$)], E = S, Se, 149
Supramolecular
Thiophosphorus and related ligands in coordination, organometallic and supramolecular chemistry. A personal account, 29
Supramolecular structures
Tuning selenium–iodine contacts: from secondary soft–soft interactions to covalent bonds, 14

Tellurium
Electrochemical and NMR spectroscopic studies of selenium- and tellurium-substituted ferrocenes I: ferrocenyl alkyl chalcogenides [Fe(η-C$_5$H$_5$)(η-C$_5$H$_4$ER)], 101
Synthesis of double and multiple butterfly Fe/E (E = S, Se, Te) cluster complexes via reactions of complex anions [(μ-RE)(μ-CO)Fe$_2$(CO)$_6$]$^-$ (E = S, Se, Te). Crystal structures of (μ-*p*-MeC$_6$H$_4$Se)(μ-MeS)[Fe$_2$(CO)$_6$]$_2$(μ$_4$-S) and {(μ-*t*-BuS)[Fe$_2$(CO)$_6$]$_2$(μ$_4$-S)}$_2$[(μ-*p*-SCH$_2$)$_2$C$_6$H$_4$], 56
Tellurium(II) and (IV) complexes
Tellurium complexes with new, large-bite dithio ligands. The crystal structures of *cis*- and *trans*- [Te{Ph$_2$P(S)–N–P(S)(OPh)$_2$}$_2$] and [(4-MeOC$_6$H$_4$TeCl$_3$)$_2${μ-^{i}Pr$_2$P(S)–Fc–P(S)^{i}Pr$_2$}], 124
Tellurium(IV)
Synthesis, spectroscopic characterization and structural studies of dialkyl dithiophosphinate and *N*,*N*-dialkyl dithio- and monothio-carbamate derivatives of 1-iodo-1,1,2,3,4,5-hexahydrotellurophene, 74
Tertiaryphosphines
Synthesis and characterization of benzylselenolate complexes of palladium(II) and platinum(II), 48
Tetrabromide salt
Synthesis of some macrocycles/bicycles from bis(*o*-formylphenyl) selenide: X-ray crystal structure of bis(*o*-formylphenyl) selenide and the first 28-membered selenium containing macrocyclic ligand, 87
Thioether
Synthesis and characterization of new thioether derivatives of [Os$_3$(CO)$_{12}$] and [H$_2$Os$_3$(CO)$_{10}$]; crystal and molecular structures of [Os$_3$(CO)$_{11}$(L)] [Et$_2$S, Pr$_2$S, S(CH$_2$)$_5$] and [Os$_3$(CO)$_9$(μ-H)(μ-X){SMe(Bu^t)}] (X = H, OH), 191
Thiol
Formation of rhodium carbonyl thiolate dimers via elimination of dihydrogen; crystal and molecular structure of [Rh$_2$(CO)$_4$(μ-SC$_6$H$_4$CH$_3$)$_2$], 65
Thiosemicarbazone compounds
The key role of sulfur in thiosemicarbazone compounds. Crystal and molecular structure of [Pd{4-MeOC$_6$H$_4$C(Me)=NN=C(S)NHPh}$_2$], 176
TMT ligand
Transition metal complexes of 2,4,6-trimercapto-1,3,5-triazine (TMT): potential precursors to nanoparticulate metal sulfides, 185
Topology and group theory
Chemical applications of topology and group theory: Part 35. Non-octahedral six-coordinate tris(dithiolene) and related complexes of the early transition metals, 95
Transmetallation
Carbon–carbon bond formation by means of organotellurium compounds, 43

Voltammetry
Electrochemical and NMR spectroscopic studies of selenium- and tellurium-substituted ferrocenes I: ferrocenyl alkyl chalcogenides [Fe(η-C$_5$H$_5$)(η-C$_5$H$_4$ER)], 101

Wittig reaction
Synthesis of α-phenylseleno-α,β-unsaturated esters by Wittig-type reactions. Studies on the Diels–Alder reaction, 131

X-ray crystallography
Schiff bases derived from mercury(II)–aminothiolate complexes as metalloligands for transition metals, 137
The oxidative addition of diphenyl diselenide and ditelluride to tetrakis(triphenylphosphine)palladium, 168
X-ray crystal structure
Bridge cleavage of [{PhP(Se)(μ-Se)}$_2$] by 1,2-C$_6$H$_4$(EH)(E′H) (E, E′ = O or NH). X-ray crystal structure of Ph-P(Se)(NHC$_6$H$_4$NH-1,2), 116
X-ray structures
Synthesis of double and multiple butterfly Fe/E (E = S, Se, Te) cluster complexes via reactions of complex anions [(μ-RE)(μ-CO)Fe$_2$(CO)$_6$]$^-$ (E = S, Se, Te). Crystal structures of (μ-*p*-MeC$_6$H$_4$Se)(μ-MeS)[Fe$_2$(CO)$_6$]$_2$(μ$_4$-S) and {(μ-*t*-BuS)[Fe$_2$(CO)$_6$]$_2$(μ$_4$-S)}$_2$[(μ-*p*-SCH$_2$)$_2$C$_6$H$_4$], 56